			NOV-5	NOV-12	NOV-18	NOV-19
A	Exterior Walls	clean	✓	✓	✓	✓
		Flashing / secure.	✓	✓	✓	✓
		No pest.	✓	✓	✓	✓
		Other.	✓	✓	✓	✓
B.	Doors	Good condition	✓	✓	✓	✓
		Secure Handcare	✓	✓	✓	✓
		Handles	✓	✓	✓	✓
		Locks working.	✓	✓	✓	✓
		Glass Good Condition	✓	✓	✓	✓
C.	Windows.	Good Condition	✓	✓	✓	✓
		Catches in place.	✓	✓	✓	✓
		Weather stripping.	✓	✓	✓	✓
		Hangers secure other	✓	✓	✓	✓
D.	Roof	Good Condition	✓	✓	✓	✓
		flashing secure.	✓	✓	✓	✓
		vents clear	✓	✓	✓	✓
		access clear	✓	✓	✓	✓
		No Evident leaks	✓	✓	✓	✓
		other.				
E.	Electrical Panels Receptally.	Covers in place.	✓	✓	✓	✓
		Nothing left	✓	✓	✓	✓
		plugged in	✓	✓	✓	✓
F.	Water products	Not leaking	✓	✓	✓	✓
		Winterized	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

Dec-3	Dec-10	Dec-17	Dec-28	Jan-5	Jan-12	Jan-24	Person Incharge
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

			NOV-7	NOV-	NOV-14	NOV-26	Dec-1
G	Seats / Tables.	Good condition	✓	✓	✓	✓	✓
		Clean	✓	✓	✓	✓	✓
		Securely modulated	✓	✓	✓	✓	✓
H	ASH can / waste can	secure.	✓	✓	✓	✓	✓
		Emplied	✓	✓	✓	✓	✓
		Clean	✓	✓	✓	✓	✓
I	Shelter	Clean	✓	✓	✓	✓	✓
		Good condition	✓	✓	✓	✓	✓
		Secure	✓	✓	✓	✓	✓
J	Equipment wiring	Bulbs working	✓	✓	✓	✓	✓
		Cords in place	✓	✓	✓	✓	✓
		Covers in place	✓	✓	✓	✓	✓
		No exposed wire	✓	✓	✓	✓	✓
		Good condition	✓	✓	✓	✓	✓
K.	Exterior Compound	secure	✓	✓	✓	✓	✓
		Clean	✓	✓	✓	✓	✓
		Wires secure.	✓	✓	✓	✓	✓
		Other, Good.	✓	✓	✓	✓	✓
		condition	✓	✓	✓	✓	✓
		NO. Crawlers	✓	✓	✓	✓	✓
L.	Gate	Good condition	✓	✓	✓	✓	✓
		Hand Wary, secure	✓	✓	✓	✓	✓
		NO Crawlers	✓	✓	✓	✓	✓
		Gate locked	✓	✓	✓	✓	✓

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

DEC-18	DEC-23	DEC-30	Jan-8	Jan-17	Jan-25	Jan-30	Feb-8	Feb-22	Pen or Inches
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy Co.
SURAMPALEM-533 437

Scanned with OKEN Scanner

			Feb-16	Feb-21	mar-8	mar-16	mar-21
M	Plumbing	Sealing	✓	✓	✓	✓	✓
		Water Cleaning	✓	✓	✓	✓	✓
		Coting	✓	✓	✓	✓	✓
		Painting	✓	✓	✓	✓	✓
N.	Structural	Leakages	✓	✓	✓	✓	✓
		Building	✓	✓	✓	✓	✓
		Columns & Joints	✓	✓	✓	✓	✓
		Roofing.	✓	✓	✓	✓	✓
O.	C.C.TV	Lens cleaning	✓	✓	✓	✓	✓
		Monitor Screen	✓	✓	✓	✓	✓
		Control Panel	✓	✓	✓	✓	✓
		Loose Connection	✓	✓	✓	✓	✓
P.	Grounding	Watering	✓	✓	✓	✓	✓
		Scilling Cutting	✓	✓	✓	✓	✓
		Crack Curing.	✓	✓	✓	✓	✓
		Pest control spray	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

Principal
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

Mar-29	April-5	April-11	April-18	April-26	May-8	May-19	May-31	Pulse Inclu.
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

			June-9	July-8	Aug-6	Aug-16	Aug-28
A	Floors	Good condition	✓	✓	✓	✓	✓
		Term place.	✓	✓	✓	✓	✓
		Clean	✓	✓	✓	✓	✓
B.	Walls	Basic boards secure	✓	✓	✓	✓	✓
		Good condition	✓	✓	✓	✓	✓
		No Holes	✓	✓	✓	✓	✓
		No thermal	✓	✓	✓	✓	✓
		other	✓	✓	✓	✓	✓
C	Electrical	Fans	✓	✓	✓	✓	✓
		UPS	✓	✓	✓	✓	✓
		Pannel BOX.	✓	✓	✓	✓	✓
		MCB	✓	✓	✓	✓	✓
		Others	✓	✓	✓	✓	✓
D.	Celing	Light working	✓	✓	✓	✓	✓
		cones in place	✓	✓	✓	✓	✓
		Sprinkleasteam	✓	✓	✓	✓	✓
		No leaks	✓	✓	✓	✓	✓
		other.	✓	✓	✓	✓	✓
E.	fire Extinguisher	In place	✓	✓	✓	✓	✓
		Charged	✓	✓	✓	✓	✓
		Tagged	✓	✓	✓	✓	✓
		other.	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

Dec-12	Dec-19	Dec-26	Jan-4	Jan-20	Jan-24	Jan-27	Feb-3	Feb-8	Person Incharge
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
ditya Pharmacy Co
SURAMPALEM-533 4

Scanned with OKEN Scanner

			Jan - 7	Jan-21	July - 12	July -20	July-30
K.	Carpentry	Ply woods	✓	✓	✓	✓	✓
		Touch work	✓	✓	✓	✓	✓
		Wood stearcase	✓	✓	✓	✓	✓
		Polishing Cloth	✓	✓	✓	✓	✓
		Gas Linings	✓	✓	✓	✓	✓
L.	A.C	Cleaning	✓	✓	✓	✓	✓
		Filters	✓	✓	✓	✓	✓
		Cainnets	✓	✓	✓	✓	✓
		Compressure	✓	✓	✓	✓	✓
		Gas cylinder	✓	✓	✓	✓	✓
M.	C.C.T.V	Lens cleaning	✓	✓	✓	✓	✓
		Monitor screen	✓	✓	✓	✓	✓
		control pannel	✓	✓	✓	✓	✓
		Louse connection	✓	✓	✓	✓	✓
N.	Drinking water	Hardness	✓	✓	✓	✓	✓
		TDS	✓	✓	✓	✓	✓
		Filter check	✓	✓	✓	✓	✓
		Inlet pressure	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

Aug-8	Aug-12	Aug-19	Aug-23	Sep-08	Sep-14	Sep-22	Sep-26	Sep-30	Oct-8	Argon Indicator
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner

			Nov-6	Nov-16	Nov-23	Nov-30	Dec-8
F	Plambing	leaking Pipes	✓	✓	✓	✓	✓
		Dripping faucets	✓	✓	✓	✓	✓
		No hot Water	✓	✓	✓	✓	✓
		Clogged Drawing	✓	✓	✓	✓	✓
		Running Toilet	✓	✓	✓	✓	✓
G.	Wash Room	Cleaning	✓	✓	✓	✓	✓
		Hand wash	✓	✓	✓	✓	✓
		Air freshener	✓	✓	✓	✓	✓
		Buckets.	✓	✓	✓	✓	✓
H.	Paintaing	Scabbing	✓	✓	✓	✓	✓
		Water Cleaning	✓	✓	✓	✓	✓
		Coting	✓	✓	✓	✓	✓
		Painting	✓	✓	✓	✓	✓
I.	PEST	Cup board	✓	✓	✓	✓	✓
		Cabinets	✓	✓	✓	✓	✓
		Class Rooms	✓	✓	✓	✓	✓
		Office	✓	✓	✓	✓	✓
		Exam Cell	✓	✓	✓	✓	✓
J.	Structural	Leakage	✓	✓	✓	✓	✓
		Columns & Joints	✓	✓	✓	✓	✓
		Roofing	✓	✓	✓	✓	✓

ADITYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Aditya Pharmacy Colle
SURAMPALEM-533 437

Scanned with OKEN Scanner

Dec-13	Dec-20	Dec-26	Jan-3	Jan-9	Jan-17	Jan-23	Feb-4	Feb-12	Person Incharge
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

VIDYA PHARMACY COLLEGE SURAMPALEM 533 437

PRINCIPAL
Vidya Pharmacy College
SURAMPALEM-533 437

Scanned with OKEN Scanner