AQUA SAFE WATER TECHNOLOGIES

#07-13-23/2, Ground Floor, NH-5 Main Road, Old Gajuwaka, Visakhapatnam, Andhra Pradesh - 530026.

Transportation Mode: Road Vehicle No. Tax is payable on Reverse Charge: (Yes/No) Date & Time of Supply: Place of Supply: Date:31.07.2019 Invoice No: 396 Details Of Consignee (Shipped To) Details of Receiver ADITYA PHARMACY COLLEGE ADITYA PHARMACY COLLEGE ADB ROAD ADB ROAD SURAMPALEM SURAMPALEM EAST GODAVARI EAST GODAVARI PIN:533437 PIN:533437 State Code State Code: 37 State: State: ANDHRAPRADESH SGST Total Disc Tax UOM Rate Description able NO of goods code Rate Amt Rate Amt Rate Amt value 135,000.00 120,535.71 120,535.71 SUPPLY AND INSTALLATION OF BIOGAS PLANT IGNITER CAPACITY 40 KG PER DAY WITH FOOD WASTE CRUSHER. (FREIGHT WILL BL EXTRA AT ACTUTALE Total TOTAL 135,000.00 Invoice Value in words Fright Charge ONE LAKH THARTY FIVE THOUSAND ONLY Round Off (+)/-Invoice Total Amount of Tax Subject to Reverse Charge Electronic Ref.No. Certified that the particulars given above are true and correct Declaration This invoice issued in adjustment to Original Date: Invoice No TECHNOLOGIES Terms & condition dd Signatory



Aditya Pharmacy College SURAMPALEM 533 4