



F.No. South-Central/1-453766511/2011/EOA

Date: 01-09-2011

To,
The Principal Secretary
(Higher Education) Govt. of Andhra Pradesh,
J Block, 4th Floor, Secretariat Building,
Hyderabad-500022

Sub: Extension of approval for the academic year 2011-12.
Ref : Application of the Institution for Extension of Approval for the Year 2011-12

Sir/Madam,

In terms of the Regulations notified by the Council vide F.No. 37-3/Legal/2011 dated 10/12/2010 and norms, standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the extension of approval of the Council to

Regional Office	South-Central	Application Id	1-453766511
		Permanent Id	1-5869441
Name of the Institute	SRI SAI ADITYA INSTITUTE OF PHARMACEUTICAL SCIENCES & RESEARCH	Institute Address	ADITYA NAGAR, SURAMPALEM A D B ROAD, PEDDAPURAM GANDEAPALLI MANDAL EAST GODAVARI DISTRICT ANDHRA PRADESH PIN:533 437, SURAMPALEM, EAST GODAVARI, Andhra Pradesh, 533437
Name of the Society/Trust	SAROJINI EDUCATIONAL SOCIETY	Society/Trust Address	2-24-2, MAHALAKSHMI APARTMENT, SRINAGAR, KAKINADA, EAST GODAVARI DISTRICT., KAKINADA, EAST GODAVARI, Andhra Pradesh, 533003
Institute Type	Unaided - Private		

to conduct following courses with the intake indicated below for the academic year 2011-12

Application Id: 1-453766511			Course	Full/Part Time	Affiliating Body	Intake 2010-11	Intake Approved for 11-12	NRI	PIO	Foreign Collaboration
Program	Shift	Level								
PHARMACY	1st Shift	UNDERGRADUATE	PHARMACY	FULL TIME	Andhra University, Visakhapatnam	120	120	No	No	No
PHARMACY	1st Shift	POSTGRADUATE	PHARMA TECHNOLOGY	FULL TIME	Andhra University, Visakhapatnam	18	36	No	No	No



Application Id: 1-453766511			Course	Full/Part Time	Affiliating Body	Intake 2010-11	Intake Approved for 11-12	NRI	PIO	Foreign Collaboration
Program	Shift	Level								
PHARMACY	1st Shift	POST GRADUATE	PHARMACOLOGY	FULL TIME	Andhra University, Visakhapatnam	18	36	No	No	No

The above mentioned approval is subject to the condition that SRI SAI ADITYA INSTITUTE OF PHARMACEUTICAL SCIENCES & RESEARCH shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

(Dr. K P Isaac)

Member Secretary, AICTE

Copy to:

- The Regional Officer,**
All India Council for Technical Education
First Floor, old BICARD Building
Jawaharlal Nehru Technological University
Masab Tank, Hyderabad-500076
- The Director Of Technical Education,**
Andhra Pradesh
- The Registrar,**
Andhra University, Visakhapatnam
- The Principal / Director,**
SRI SAI ADITYA INSTITUTE OF PHARMACEUTICAL SCIENCES & RESEARCH
ADITYA NAGAR,SURAMPALEM
A D B ROAD, PEDDAPURAM
GANDEAPALLI MANDAL
EAST GODAVARI DISTRICT
ANDHRA PRADESH
PIN:533 437,
SURAMPALEM,EAST GODAVARI,



All India Council for Technical Education
(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Andhra Pradesh,533437

5. **The Secretary / Chairman,**
SAROJINI EDUCATIONAL SOCIETY
2-24-2, MAHALAKSHMI APARTMENT,
SRINAGAR,
KAKINADA,
EAST GODAVARI DISTRICT.,
KAKINADA,EAST GODAVARI,
Andhra Pradesh,533003
6. **Guard File(AICTE)**

